





Pushbutton head RRJT

Category: Series: Panel cut-out: Degree of protection: Travel: Illumination: With labelling option: Front bezel Operating temperature: Mechanical life: Storage temperature: Shape: Pushbuttons RONTRON-R-JUWEL Ø 22.3 mm IP65 / IP66 / IP69K 3 mm yes yes silver-coloured -25°C ... 70°C 1 million switching cycles -40°C ... 80°C round

Neccessary accessory



Nameplate with standard imprint BSRR...



Nameplate with standard imprint BSRR1



Nameplate with standard imprint BSRR101



Nameplate with standard imprint BSRR102









Nameplate with standard imprint BSRR105



Nameplate with standard imprint BSRR106



Nameplate with standard imprint BSRR107



Nameplate with standard imprint BSRR108




Nameplate with standard imprint BSRR109



Nameplate with standard imprint BSRR11











Nameplate with standard imprint BSRR1109





Nameplate with standard imprint BSRR1110



Nameplate with standard imprint BSRR1111



Nameplate with standard imprint BSRR1112




Nameplate with standard imprint BSRR1113




Nameplate with standard imprint BSRR1114



















Nameplate with standard imprint BSRR1138





Nameplate with standard imprint BSRR114



Nameplate with standard imprint BSRR1140



Nameplate with standard imprint BSRR1141




Nameplate with standard imprint BSRR1142



Nameplate with standard imprint BSRR1143













Nameplate with standard imprint BSRR1153



Nameplate with standard imprint BSRR1154



Nameplate with standard imprint BSRR1155



Nameplate with standard imprint BSRR1156




Nameplate with standard imprint BSRR1156A




Nameplate with standard imprint BSRR1157



































































Nameplate with standard imprint BSRR193



Nameplate with standard imprint BSRR194



Nameplate with standard imprint BSRR195



Nameplate with standard imprint BSRR2



Nameplate with standard imprint BSRR20




Nameplate with standard imprint BSRR201

































































Nameplate with standard imprint BSRR47



Nameplate with standard imprint BSRR48



Nameplate with standard imprint BSRR484



Nameplate with standard imprint BSRR485



Nameplate with standard imprint BSRR486



Nameplate with standard imprint BSRR487









Nameplate with standard imprint BSRR49



Nameplate with standard imprint BSRR490



Nameplate with standard imprint BSRR491



Nameplate with standard imprint BSRR492



Nameplate with standard imprint BSRR493



Nameplate with standard imprint BSRR494









Nameplate with standard imprint BSRR497



Nameplate with standard imprint BSRR498



Nameplate with standard imprint BSRR499



Nameplate with standard imprint BSRR5



Nameplate with standard imprint BSRR50



Nameplate with standard imprint BSRR500









Nameplate with standard imprint BSRR503



Nameplate with standard imprint BSRR504



Nameplate with standard imprint BSRR505



Nameplate with standard imprint BSRR506



Nameplate with standard imprint BSRR507



Nameplate with standard imprint BSRR508









Nameplate with standard imprint BSRR511



Nameplate with standard imprint BSRR512



Nameplate with standard imprint BSRR513



Nameplate with standard imprint BSRR6




Nameplate with standard imprint BSRR61



Nameplate with standard imprint BSRR62








ſ











Nameplate with standard imprint BSRR8



Nameplate with standard imprint BSRR80



Nameplate with standard imprint BSRR81



Nameplate with standard imprint BSRR82



Nameplate with standard imprint BSRR83



Nameplate with standard imprint BSRR84









Nameplate with standard imprint BSRR87



Nameplate with standard imprint BSRR88



Nameplate with standard imprint BSRR89



Nameplate with standard imprint BSRR90




Nameplate with standard imprint BSRR91



Nameplate with standard imprint BSRR92







Nameplate with standard imprint BSRR95



Blank nameplate BSRRU



High lens, transparent T22HRRBL



High lens, transparent T22HRRGB



High lens, transparent T22HRRGN



High lens, transparent T22HRRKL



High lens, transparent T22HRRRT





High lens, transparent T22HRRWS



Flat lens, transparent T22RRBL



Flat lens, transparent T22RRGB



Flat lens, non-transparent T22RRGBL



Flat lens, non-transparent T22RRGGB



Flat lens, non-transparent T22RRGGN



Flat lens, non-transparent T22RRGM



Flat lens, transparent T22RRGN





Flat lens, non-transparent T22RRGRT



Flat lens, non-transparent T22RRGSW



Flat lens, non-transparent T22RRGWS



Flat lens, transparent T22RRKL



Flat lens, transparent T22RRRT



Flat lens, transparent T22RRWS



Optional accessory



AS-Interface module ASI_BTK30_01





AS-Interface module ASI_BTK30_02



AS-Interface slave ASI_BZ



AS-Interface slave with T5,5K socket ASI_BZL5



Contact block, momentary AZ2N



Contact block, momentary AZ4I



Contact block, momentary AZ4O



Illuminated contact block, momentary AZL4I



Illuminated contact block, momentary AZL4O





Contact block, maintained BF



Contact block, maintained BFI



Contact block, maintained BFIK



Contact block, maintained BFIK_AU



Contact block, maintained BFI_AU



Contact block, maintained BFK



Contact block, maintained BFK_AU



Illuminated contact block, maintained, W2x4,6d BFL





Illuminated contact block, maintained, T5,5K BFL5



Illuminated contact block, maintained, T5,5K BFL5K



Illuminated contact block, maintained, T5,5K BFL5K_AU



Illuminated contact block, maintained, T5,5K BFL5_439



Illuminated contact block, maintained, T5,5K BFL5_439_AU



Illuminated contact block, maintained, T5,5K BFL5_AU



Illuminated contact block, maintained, W2x4,6d BFLI



Illuminated contact block, maintained, T5,5K BFLI5





Illuminated contact block, maintained, T5,5K BFLI5K



Illuminated contact block, maintained, T5,5K BFLI5K_AU



Illuminated contact block, maintained, T5,5K BFLI5_AU



Illuminated contact block, maintained, W2x4,6d BFLIK



Illuminated contact block, maintained, W2x4,6d BFLIK_AU



Illuminated contact block, maintained, W2x4,6d BFLI_AU



Illuminated contact block, maintained, W2x4,6d BFLK



Illuminated contact block, maintained, W2x4,6d BFLK_AU





Illuminated contact block, maintained, W2x4,6d BFL_439



Illuminated contact block, maintained, W2x4,6d BFL_439_AU



Illuminated contact block, maintained, W2x4,6d BFL_AU



Contact block, maintained BF_439



Contact block, maintained BF_439_AU



Contact block, maintained BF_AU



Contact block, momentary BZI



Contact block, momentary BZII





Contact block, momentary BZIIK



Contact block, momentary BZIIK_AU



Contact block, momentary BZII_AU



Contact block, momentary BZIK



Contact block, momentary BZIK_AU



Contact block, momentary BZI_AU



Illuminated contact block, momentary, W2x4,6d BZLI



Illuminated contact block, momentary, T5,5K BZLI5





Illuminated contact block, momentary, T5,5K BZLI5K



Illuminated contact block, momentary, T5,5K BZLI5K_AU



Illuminated contact block, momentary, T5,5K BZLI5_AU



Illuminated contact block, momentary, W2x4,6d BZLII



Illuminated contact block, momentary, T5,5K BZLII5



Illuminated contact block, momentary, T5,5K BZLII5K



Illuminated contact block, momentary, T5,5K BZLII5K_AU



Illuminated contact block, momentary, T5,5K BZLII5_AU





Illuminated contact block, momentary, W2x4,6d BZLIIK



Illuminated contact block, momentary, W2x4,6d BZLIIK_AU



Illuminated contact block, momentary, W2x4,6d BZLII_AU



Illuminated contact block, momentary, W2x4,6d BZLIK



Illuminated contact block, momentary, W2x4,6d BZLIK_AU



Illuminated contact block, momentary, W2x4,6d BZLI_AU



Illuminated contact block, momentary, W2x4,6d BZLO



Illuminated contact block, momentary, T5,5K BZLO5





Illuminated contact block, momentary, T5,5K BZLO5K



Illuminated contact block, momentary, T5,5K BZLO5K_AU



Illuminated contact block, momentary, W2x4,6d BZLOI



Illuminated contact block, momentary, T5,5K BZLOI5



Illuminated contact block, momentary, T5,5K BZLOI5K



Illuminated contact block, momentary, T5,5K BZLOI5K_AU



Illuminated contact block, momentary, T5,5K BZLOI5_AU



Illuminated contact block, momentary, W2x4,6d BZLOIK





Illuminated contact block, momentary, W2x4,6d BZLOIK_AU



Illuminated contact block, momentary, W2x4,6d BZLOI_AU



Illuminated contact block, momentary, W2x4,6d BZLOK



Illuminated contact block, momentary, W2x4,6d BZLOK_AU



Illuminated contact block, momentary, W2x4,6d BZLOO



Illuminated contact block, momentary, T5,5K BZLOO5



Illuminated contact block, momentary, T5,5K BZLOO5K



Illuminated contact block, momentary, T5,5K BZLOO5K_AU





Illuminated contact block, momentary, T5,5K BZLOO5_AU



Illuminated contact block, momentary, W2x4,6d BZLOOK



Illuminated contact block, momentary, W2x4,6d BZLOOK_AU



Illuminated contact block, momentary, W2x4,6d BZLOO_AU



Illuminated contact block, momentary, W2x4,6d BZLO_AU



Contact block, momentary BZO



Contact block, momentary BZOI



Contact block, momentary BZOIK





Contact block, momentary BZOIK_AU



Contact block, momentary BZOI_AU



Contact block, momentary BZOK



Contact block, momentary BZOK_AU



Contact block, momentary BZOO



Contact block, momentary BZOOK



Contact block, momentary BZOOK_AU



Contact block, momentary BZOO_AU





Contact block, momentary BZO_AU



CANopen basic module CO_BTK30_01



CANopen basic module CO_BTK30_02



Contact block, momentary CT2



Contact block, momentary CTF



Contact block, momentary, incl. RGB LED CTFS_24RGB



Contact block, momentary, with 2-coloured LED red/green CTFS_24R_G $\ensuremath{\mathsf{CTFS}}$



Contact block, momentary, with 2-coloured LED white/blue CTFS_24W_B





Contact block, momentary, for 250V~ CTF_250



Illuminated contact block, momentary CTL2



Illuminated contact block, momentary CTLF



Illuminated contact block, momentary, for 250V~ CTLF_250



Illuminated contact block, momentary CTLP_485



Contact block, momentary CTP_485



Illuminated contact block, momentary CZTLP



Illuminated contact block, momentary CZTLP2





Contact block, momentary CZTP



Contact block, momentary CZTP2



Insulated plastic enclosure, 1 mounting hole DIRL1V-R22



Insulated plastic enclosure, 1 mounting hole DIRL1VGB-R22



Insulated plastic enclosure, 2 mounting holes DIRL2V-R22



Insulated plastic enclosure, 3 mounting holes DIRL3V-R22



Insulated plastic enclosure, 3 resp. 4 mounting holes DIRL4V-R22



Profibus basic module DP_BTK30_01





Profibus basic module DP_BTK30_02



Profibus basic module DP_BTK30_03



Profibus basic module DP_BTK30_04



EtherCAT basic module EC_BTK30_01



EtherCAT basic module EC_BTK30_02



EtherCAT basic module EC_BTK30_03



EtherCAT basic module EC_BTK30_04



EtherNet IP basic module EN_BTK30_01





EtherNet IP basic module EN_BTK30_02



EtherNet IP basic module EN_BTK30_03



EtherNet IP basic module EN_BTK30_04



Contact block, momentary FRTFI



Contact block, momentary FRTFII



Contact block, momentary FRTFII_AU



Contact block, momentary FRTFI_AU



Illuminated contact block, momentary FRTFLI





Illuminated contact block, momentary FRTFLII



Illuminated contact block, momentary FRTFLOI



Illuminated contact block, momentary $\ensuremath{\mathsf{FRTFLOO}}$



Contact block, momentary FRTFO



Contact block, momentary FRTFOI



Contact block, momentary FRTFOI_AU



Contact block, momentary, 2NC FRTFOO



Contact block, momentary FRTFOOI





Contact block, momentary FRTFOOI_AU



Contact block, momentary, 2NC FRTFOO_AU



Contact block, momentary FRTFO_AU



Contact block, momentary FRTPI



Contact block, momentary FRTPII



Contact block, momentary FRTPII_AU



Contact block, momentary FRTPI_AU



Contact block, momentary FRTPO





Contact block, momentary FRTPOI



Contact block, momentary FRTPOI_AU



Contact block, momentary FRTPOO



Contact block, momentary FRTPOOI



Contact block, momentary FRTPOOI_AU



Contact block, momentary FRTPOO_AU



Contact block, momentary FRTPO_AU



IO-Link basic module IL_BTK30_03





IO-Link basic module IL_BTK30_04



Insulated plastic enclosure, 1 mounting hole IRL1M



Insulated plastic enclosure, 1 mounting hole IRL1M_GELB



Insulated plastic enclosure, 2 mounting holes IRL2M



Insulated plastic enclosure, 3 mounting holes IRL3M



Insulated plastic enclosure, 5 mounting holes IRL5M

Protective lid, sealable KDP22RR



Protective lid, robust, tight and sealable KDPR22RR





Protective lid, robust, tight and sealable KDPR22RR_SW



LED light ring for status indication or additional illumination $\mbox{LR22K}_{24B}$



LED light ring for status indication or additional illumination $\mbox{LR22K}_{24G}$



LED light ring for status indication or additional illumination $\mbox{LR22K}_{24R}$



RGB LED light ring for status indication or illumination LR22K_24RGB



Two-coloured alternate LED-illuminated ring for status indication $\mbox{LR22K}_24\mbox{R}_G$



LED light ring for status indication or additional illumination $\mbox{LR22K}_{24}\mbox{W}$





LED light ring for status indication or additional illumination $\mbox{LR22K}_{24Y}$



Powerlink basic module PL_BTK30_01



Powerlink basic module PL_BTK30_02



Powerlink basic module PL_BTK30_03



Powerlink basic module PL_BTK30_04



Profinet I/O basic module PN_BTK30_01



Profinet I/O basic module PN_BTK30_02



Profinet I/O basic module PN_BTK30_03





Profinet I/O basic module PN_BTK30_04



External nameplate holder RRJABT

Insulated plastic enclosure with 1 mounting hole SIL22/1



High insulated plastic enclosure with 1 mounting hole SILH22/1



Sealing cap TK28S

