

Legend  
**I= Switching position >= Spring return**

**Selector head, momentary RRJSTB**

Category:	Selector switches (momentary/maintained)
Series:	RONTRON-R-JUWEL
Panel cut-out:	Ø 22.3 mm
Protection class:	II (protective insulation)
Degree of protection:	IP65
Switching function:	momentary action
Illumination:	no
With labelling option:	no
Front bezel	silver-coloured
Shape:	round

**Optional accessory**



AS-Interface slave ASI\_BZ



Contact block, momentary AZ2N



Contact block, momentary AZ4I



Contact block, momentary AZ4O



Contact block, momentary BZII



Contact block, momentary BZIIK



Contact block, momentary BZIIK\_AU



Contact block, momentary BZII\_AU



Contact block, momentary BZOI



Contact block, momentary BZOIK



Contact block, momentary BZOIK\_AU



Contact block, momentary BZOI\_AU



Contact block, momentary BZOO



Contact block, momentary BZOOK



Contact block, momentary BZOOK\_AU



Contact block, momentary BZOO\_AU



Contact block, momentary BZ\_439



Contact block, momentary BZ\_439\_AU



Contact block, momentary BZ\_494



Contact block, momentary CT2



Contact block with two-piece plunger, momentary CT2\_549



Contact block with two-piece plunger, momentary CZTP2\_549



Insulated plastic enclosure, 1 mounting hole DIRL1V-R22



Insulated plastic enclosure, 1 mounting hole DIRL1VGB-R22



Insulated plastic enclosure, 2 mounting holes DIRL2V-R22



Insulated plastic enclosure, 3 mounting holes DIRL3V-R22




Insulated plastic enclosure, 3 resp. 4 mounting holes DIRL4V-R22



Insulated plastic enclosure, 1 mounting hole IRL1M



Insulated plastic enclosure, 1 mounting hole IRL1M\_GELB



Insulated plastic enclosure, 2 mounting holes IRL2M



Insulated plastic enclosure, 3 mounting holes IRL3M



Insulated plastic enclosure, 5 mounting holes IRL5M



LED light ring for status indication or additional illumination  
LR22K\_24B



LED light ring for status indication or additional illumination  
LR22K\_24G



LED light ring for status indication or additional illumination  
LR22K\_24R



RGB LED light ring for status indication or illumination  
LR22K\_24RGB



Two-coloured alternate LED-illuminated ring for status indication  
LR22K\_24R\_G



LED light ring for status indication or additional illumination  
LR22K\_24W



LED light ring for status indication or additional illumination  
LR22K\_24Y



External nameplate holder RRJABT



Insulated plastic enclosure with 1 mounting hole SIL22/1



High insulated plastic enclosure with 1 mounting hole SILH22/1

