

Legend
I= Switching position >=
Spring return

Illuminated selector head, momentary RRJVASTAL_GB

Category:	Selector switches (momentary/maintained)
Series:	RONTRON-R-JUWEL
Panel cut-out:	Ø 22.3 mm
Protection class:	II (protective insulation)
Degree of protection:	IP65
Switching function:	momentary action
Illumination:	yes
With labelling option:	no
Front bezel	stainless steel, polished
Knob colour	yellow
Positive opening:	no
Shape:	round

Optional accessory



AS-Interface module ASI_BTK30_01



AS-Interface module ASI_BTK30_02



AS-Interface slave with T5,5K socket ASI_BZL5



Illuminated contact block, momentary AZL4I



Illuminated contact block, momentary AZL4O



Illuminated contact block, momentary, W2x4,6d BZLI



Illuminated contact block, momentary, T5,5K BZLI5



Illuminated contact block, momentary, T5,5K BZLI5K



Illuminated contact block, momentary, T5,5K BZLI5K_AU



Illuminated contact block, momentary, T5,5K BZLI5_AU



Illuminated contact block, momentary, W2x4,6d BZLII



Illuminated contact block, momentary, T5,5K BZLII5



Illuminated contact block, momentary, T5,5K BZLII5K



Illuminated contact block, momentary, T5,5K BZLII5K_AU



Illuminated contact block, momentary, T5,5K BZLII5_AU



Illuminated contact block, momentary, W2x4,6d BZLIIK



Illuminated contact block, momentary, W2x4,6d BZLIIK_AU



Illuminated contact block, momentary, W2x4,6d BZLII_AU



Illuminated contact block, momentary, W2x4,6d BZLIK



Illuminated contact block, momentary, W2x4,6d BZLIK_AU



Illuminated contact block, momentary, W2x4,6d BZLI_AU




Illuminated contact block, momentary, W2x4,6d BZLO



Illuminated contact block, momentary, T5,5K BZLO5



Illuminated contact block, momentary, T5,5K BZLO5K



Illuminated contact block, momentary, T5,5K BZLO5K_AU



Illuminated contact block, momentary, W2x4,6d BZLOI



Illuminated contact block, momentary, T5,5K BZLOI5



Illuminated contact block, momentary, T5,5K BZLOI5K



Illuminated contact block, momentary, T5,5K BZLOI5K_AU



Illuminated contact block, momentary, T5,5K BZLOI5_AU



Illuminated contact block, momentary, W2x4,6d BZLOIK



Illuminated contact block, momentary, W2x4,6d BZLOIK_AU



Illuminated contact block, momentary, W2x4,6d BZLOI_AU



Illuminated contact block, momentary, W2x4,6d BZLOK



Illuminated contact block, momentary, W2x4,6d BZLOK_AU



Illuminated contact block, momentary, W2x4,6d BZLOO



Illuminated contact block, momentary, T5,5K BZLOO5



Illuminated contact block, momentary, T5,5K BZLOO5K



Illuminated contact block, momentary, T5,5K BZLOO5K_AU



Illuminated contact block, momentary, T5,5K BZLOO5_AU



Illuminated contact block, momentary, W2x4,6d BZLOOK



Illuminated contact block, momentary, W2x4,6d BZLOOK_AU



Illuminated contact block, momentary, W2x4,6d BZLOO_AU



Illuminated contact block, momentary, W2x4,6d BZLO_AU



CANopen basic module CO_BTK30_01



CANopen basic module CO_BTK30_02



Illuminated contact block, momentary CTL2



Illuminated contact block, momentary CTLF



Illuminated contact block, momentary, for 250V~ CTLF_250



Illuminated contact block, momentary CTLP_485



Illuminated contact block, momentary CZTLP



Illuminated contact block, momentary CZTLP2



Insulated plastic enclosure, 1 mounting hole DIRL1V-R22



Insulated plastic enclosure, 1 mounting hole DIRL1VGB-R22



Insulated plastic enclosure, 2 mounting holes DIRL2V-R22



Insulated plastic enclosure, 3 mounting holes DIRL3V-R22



Insulated plastic enclosure, 3 resp. 4 mounting holes DIRL4V-R22



Profibus basic module DP_BTK30_01



Profibus basic module DP_BTK30_02



Profibus basic module DP_BTK30_03



Profibus basic module DP_BTK30_04



EtherCAT basic module EC_BTK30_01



EtherCAT basic module EC_BTK30_02



EtherCAT basic module EC_BTK30_03



EtherCAT basic module EC_BTK30_04



EtherNet IP basic module EN_BTK30_01



EtherNet IP basic module EN_BTK30_02



EtherNet IP basic module EN_BTK30_03



EtherNet IP basic module EN_BTK30_04



Illuminated contact block, momentary FRTFLI



Illuminated contact block, momentary FRTFLII



Illuminated contact block, momentary FRTFLOI



Illuminated contact block, momentary FRTFLOO



Contact block, momentary FRTPI



Contact block, momentary FRTPII



Contact block, momentary FRTPII_AU



Contact block, momentary FRTPI_AU



Contact block, momentary FRTPO



Contact block, momentary FRTPOI



Contact block, momentary FRTPOI_AU



Contact block, momentary FRTPOO



Contact block, momentary FRTPOO_AU



Contact block, momentary FRTPO_AU



IO-Link basic module IL_BTK30_03




IO-Link basic module IL_BTK30_04



Insulated plastic enclosure, 1 mounting hole IRL1M



Insulated plastic enclosure, 1 mounting hole IRL1M_GELB



Insulated plastic enclosure, 2 mounting holes IRL2M



Insulated plastic enclosure, 3 mounting holes IRL3M



Insulated plastic enclosure, 5 mounting holes IRL5M



LED light ring for status indication or additional illumination LR22K_24B



LED light ring for status indication or additional illumination LR22K_24G



LED light ring for status indication or additional illumination
LR22K_24R



RGB LED light ring for status indication or illumination
LR22K_24RGB



Two-coloured alternate LED-illuminated ring for status indication
LR22K_24R_G



LED light ring for status indication or additional illumination
LR22K_24W



LED light ring for status indication or additional illumination
LR22K_24Y



Powerlink basic module PL_BTK30_01



Powerlink basic module PL_BTK30_02



Powerlink basic module PL_BTK30_03



Powerlink basic module PL_BTK30_04



Profinet I/O basic module PN_BTK30_01



Profinet I/O basic module PN_BTK30_02



Profinet I/O basic module PN_BTK30_03



Profinet I/O basic module PN_BTK30_04



External nameplate holder RRJABT



Insulated plastic enclosure with 1 mounting hole SIL22/1



High insulated plastic enclosure with 1 mounting hole SILH22/1

