

Legend
I = Switching position >= Spring return

Selector head, left maintained, right momentary RRJVAWC

| | |
|------------------------|--|
| Category: | Selector switches (momentary/maintained) |
| Series: | RONTRON-R-JUWEL |
| Panel cut-out: | Ø 22.3 mm |
| Protection class: | II (protective insulation) |
| Degree of protection: | IP65 |
| Switching function: | momentary and maintained action |
| Illumination: | no |
| With labelling option: | no |
| Front bezel | stainless steel, polished |
| Positive opening: | no |
| Shape: | round |

Optional accessory



AS-Interface slave ASI_BZ



Contact block, momentary AZ2N



Contact block, momentary AZ4I



Contact block, momentary AZ4O



Contact block, momentary BZII



Contact block, momentary BZIIK



Contact block, momentary BZIIK_AU



Contact block, momentary BZII_AU



Contact block, momentary BZOI



Contact block, momentary BZOIK



Contact block, momentary BZOIK_AU



Contact block, momentary BZOI_AU



Contact block, momentary BZOO



Contact block, momentary BZOOK



Contact block, momentary BZOOK_AU



Contact block, momentary BZOO_AU



Contact block, momentary BZ_439



Contact block, momentary BZ_439_AU



Contact block, momentary BZ_494



Contact block with two-piece plunger, momentary CT2_549



Contact block with two-piece plunger, momentary CZTP2_549



Insulated plastic enclosure, 1 mounting hole D1RL1V-R22



Insulated plastic enclosure, 1 mounting hole D1RL1VGB-R22



Insulated plastic enclosure, 2 mounting holes D1RL2V-R22



Insulated plastic enclosure, 3 mounting holes D1RL3V-R22




Insulated plastic enclosure, 3 resp. 4 mounting holes D1RL4V-R22



Insulated plastic enclosure, 1 mounting hole IRL1M



Insulated plastic enclosure, 1 mounting hole IRL1M_GELB



Insulated plastic enclosure, 2 mounting holes IRL2M



Insulated plastic enclosure, 3 mounting holes IRL3M



Insulated plastic enclosure, 5 mounting holes IRL5M



External nameplate holder RRJABT



Insulated plastic enclosure with 1 mounting hole SIL22/1



High insulated plastic enclosure with 1 mounting hole SILH22/1

