

Legend
I= Switching position >=
Spring return

Selector head, left maintained, right momentary RRJWC

Category:	Selector switches (momentary/maintained)
Series:	RONTRON-R-JUWEL
Panel cut-out:	Ø 22.3 mm
Protection class:	II (protective insulation)
Degree of protection:	IP65
Switching function:	momentary and maintained action
Illumination:	no
With labelling option:	no
Front bezel	silver-coloured
Shape:	round

Optional accessory



AS-Interface slave ASI_BZ



Contact block, momentary AZ2N



Contact block, momentary AZ4I



Contact block, momentary AZ4O



Contact block, momentary BZII



Contact block, momentary BZIIK



Contact block, momentary BZIIK_AU



Contact block, momentary BZII_AU



Contact block, momentary BZOI



Contact block, momentary BZOIK



Contact block, momentary BZOIK_AU



Contact block, momentary BZOI_AU



Contact block, momentary BZOO



Contact block, momentary BZOOK



Contact block, momentary BZOOK_AU



Contact block, momentary BZOO_AU



Contact block, momentary BZ_439



Contact block, momentary BZ_439_AU



Contact block, momentary BZ_494



Contact block, momentary CT2



Contact block with two-piece plunger, momentary CT2_549



Contact block with two-piece plunger, momentary CZTP2_549



Insulated plastic enclosure, 1 mounting hole DIRL1V-R22



Insulated plastic enclosure, 1 mounting hole DIRL1VGB-R22



Insulated plastic enclosure, 2 mounting holes DIRL2V-R22



Insulated plastic enclosure, 3 mounting holes DIRL3V-R22




Insulated plastic enclosure, 3 resp. 4 mounting holes DIRL4V-R22



Insulated plastic enclosure, 1 mounting hole IRL1M




Insulated plastic enclosure, 1 mounting hole IRL1M_GELB



Insulated plastic enclosure, 2 mounting holes IRL2M



Insulated plastic enclosure, 3 mounting holes IRL3M



Insulated plastic enclosure, 5 mounting holes IRL5M



LED light ring for status indication or additional illumination
LR22K_24B



LED light ring for status indication or additional illumination
LR22K_24G



LED light ring for status indication or additional illumination
LR22K_24R



RGB LED light ring for status indication or illumination
LR22K_24RGB



Two-coloured alternate LED-illuminated ring for status indication
LR22K_24R_G



LED light ring for status indication or additional illumination
LR22K_24W



LED light ring for status indication or additional illumination
LR22K_24Y



External nameplate holder RRJABT



Insulated plastic enclosure with 1 mounting hole SIL22/1



High insulated plastic enclosure with 1 mounting hole SILH22/1

